

CITY OF NASHUA, NEW HAMPSHIRE

# 2015 SEWER REPLACEMENT PROJECT

## MARCH 2015

### DRAWING INDEX

- 1 COVER SHEET
- 2 CROSS COUNTRY (AUBURN TO FRANKLIN)
- 3 CROSS COUNTRY (AUBURN TO FRANKLIN)
- 4 TEMPLE ST (AMORY TO EAST HOLLIS)
- 5 TEMPLE ST (AMORY TO EAST HOLLIS)
- 6 DETAILS
- 7 DETAILS
- 8 DETAILS
- 9 QUANTITIES

MAYOR

HONORABLE DONNALEE LOZEAU

BOARD OF PUBLIC WORKS

DONNALEE LOZEAU - CHAIR  
TIMOTHY LAVOIE - VICE CHAIR  
PAUL G. BERGERON  
KEVIN S. MORIARTY  
TRACY PAPPAS

DIRECTOR OF PUBLIC WORKS

LISA FAUTEUX

CITY ENGINEER

STEPHEN DOOKRAN, P.E.

NO.	REVISION DESCRIPTION	DATE

PROJECT DESCRIPTION:



PREPARED BY:


CITY OF NASHUA NEW HAMPSHIRE



CITY ENGINEER'S OFFICE  
9 RIVERSIDE STREET  
NASHUA, NEW HAMPSHIRE 03062







CITY OF NASHUA NEW HAMPSHIRE

CITY ENGINEER'S OFFICE


9 RIVERSIDE STREET

NASHUA, NEW HAMPSHIRE 03062

NO.	REVISION DESCRIPTION	DATE




HORIZONTAL SCALE 1" = 20'-0"



VERTICAL SCALE 1" = 4'-0"

DRAWN BY:	DESIGNED BY:	REVIEWED BY:
T. WELCH	T. WELCH	J. MENDOLA



DATE  
MARCH  
2015

NASHUA, NEW HAMPSHIRE

PLAN OF

CROSS COUNTRY

(AUBURN TO FRANKLIN)

TAX MAP

PARCEL

PROPERTY LOCATION

VARIES

SHEET



2


OF 9











CITY OF NASHUA NEW HAMPSHIRE

CITY ENGINEER'S OFFICE

9 RIVERSIDE STREET

NASHUA, NEW HAMPSHIRE 03062

NO.	REVISION DESCRIPTION	DATE



HORIZONTAL SCALE 1" = 20'-0"

VERTICAL SCALE 1" = 4'-0"

DRAWN BY:	DESIGNED BY:	REVIEWED BY:
T. WELCH	T. WELCH	J. MENDOLA



NASHUA, NEW HAMPSHIRE

PLAN OF

TEMPLE ST

(AMORY TO EAST HOLLIS)

DATE

MARCH 2015

TAX MAP

PARCEL

PROPERTY LOCATION



VARIES


SHEET

4

OF 9







CITY OF NASHUA NEW HAMPSHIRE

CITY ENGINEER'S OFFICE

9 RIVERSIDE STREET

NASHUA, NEW HAMPSHIRE 03062

NO.	REVISION DESCRIPTION	DATE



100'0"

0

10

20

40

4

0

4

8

16

HORIZONTAL SCALE 1" = 20'-0"

VERTICAL SCALE 1" = 4'-0"

DRAWN BY:	DESIGNED BY:	REVIEWED BY:
T. WELCH	T. WELCH	J. MENDOLA



NASHUA, NEW HAMPSHIRE

PLAN OF

TEMPLE ST

(AMORY TO EAST HOLLIS)

TAX MAP

PARCEL

PROPERTY LOCATION

VARIES



SHEET

5

OF 9



1. THE PURPOSE OF THIS PLAN IS TO .....



1. CONSTRUCT THIS PROJECT IN ACCORDANCE WITH THE MORE STRINGENT OF THE LATEST VERSION OF THE NHDOT STANDARD SPECIFICATIONS AND CURRENT STANDARD PLANS, OR CITY OF NASHUA, DIVISION OF PUBLIC WORKS STANDARD SPECIFICATIONS, CURRENT STANDARD PLANS, SUPPLEMENTAL SPECIFICATIONS AND SPECIAL PROVISIONS INCLUDED IN THE PROPOSAL.
2. OVERHEAD AND UNDERGROUND ELECTRICAL AND COMMUNICATIONS LINES ARE LOCATED THROUGHOUT THE PROJECT WITH CROSSINGS AT VARIOUS LOCATIONS AND RUNNING ALONG THE ROAD THROUGHOUT THE PROJECT. THE CONTRACTOR IS ADVISED THAT EXTREME CAUTION WILL BE REQUIRED IN THE OPERATION OF CONSTRUCTION EQUIPMENT.
3. REMOVE TOPSOIL FOR ITS TOTAL DEPTH WITHIN THE LIMITS OF THE TRANSITION LINE. UNLESS OTHERWISE DIRECTED, STOCKPILE TOPSOIL AND USE IT ON THIS PROJECT AS NEEDED.
4. NO EXISTING MONUMENTS, BOUNDS, OR BENCHMARKS SHALL BE DISTURBED WITHOUT FIRST MAKING PROVISIONS FOR HAVING A NEW HAMPSHIRE LICENSED LAND SURVEYOR CERTIFY THE RELOCATION.
5. PERFORM ALL WORK WITHIN THE EXISTING RIGHT-OF-WAY, UNLESS OTHERWISE SHOWN ON THE PLANS OR AS ORDERED BY THE ENGINEER.
6. SURVEY DATA FOR THIS PROJECT WAS COLLECTED BY THE CITY OF NASHUA, DIVISION OF PUBLIC WORKS. COORDINATES ARE SITE SPECIFIC AND DO NOT RELATE TO THE NEW HAMPSHIRE STATE PLANE COORDINATE SYSTEM.
7. SIDEWALK REPLACEMENT ONLY WHERE DISTURBED FOR CONSTRUCTION OF SEWER SERVICES.
8. ALL EROSION CONTROL MEASURES, (SILT FENCE AND SILT SACKS) SHALL BE PLACED PRIOR TO COMMENCING ANY CONSTRUCTION ACTIVITIES WHICH CAUSE DISTURBANCE.
9. TRAFFIC SHALL BE MAINTAINED IN ACCORDANCE WITH SECTION 104 OF THE NHDOT STANDARD SPECIFICATIONS. AT THE DIRECTION OF THE CITY ENGINEER, TRAFFIC MAY BE DETOURED TO AVOID CONSTRUCTION ACTIVITIES.

NO.	REVISION DESCRIPTION	DATE



DRAWN BY:	DESIGNED BY:	REVIEWED BY:
T. WELCH	T. WELCH	J. MENDOLA



NASHUA, NEW HAMPSHIRE  
PLAN OF  
**DETAILS**  
**1 OF 3**







TAX MAP PARCEL  
---  
PROPERTY LOCATION  
---  
VARIES  
---  
SHEET  
6  
OF 9

PLOTTED: 03/18/15 4:11PM BY:WELCHT  
 LAST SAVED: 03/18/15 4:09PM BY:WELCHT  
 DRAWING: S: DPWSHARE\ENG DEPT\SEWER CSO PROJECT'S\SEWER REPLACEMENT PROJECT 2015\PLANS\DWG\2015 SEWER COVER SHEET\_DETAILS\_QUANTITIES SHEET'S.D









**CITY OF NASHUA NEW HAMPSHIRE**  
**CITY ENGINEER'S OFFICE**  
 9 RIVERSIDE STREET  
 NASHUA, NEW HAMPSHIRE 03062



DRAWN BY:	DESIGNED BY:	REVIEWED BY:
T. WELCH	T. WELCH	J. MENDOLA



NASHUA, NEW HAMPSHIRE  
PLAN OF  
**DETAILS**  
**3 OF 3**

TAX MAP PARCEL  
---  
PROPERTY LOCATION  
---  
VARIES  
---  
SHEET  
8  
OF 9



PLOTTED: 03/18/15 4:12PM BY: WELCH  
 DRAWING: 501000045 NEW DEPTH SEWER  
 PROJECT: CSO PROJECTS/SEWER REPLACEMENT PROJECT 2015/PLANS/DWG 2015 SEWER COVER SHEET DETAILS QUANTITIES SHEET.D

DESCRIPTION	R & R Exist w/15" SDR-35	4" Dia SMH	6" Dia SMH	Connect New Sewer to Exist SMH	Strongback Fernco (all sizes)	15" CIPP Lining	6" PVC SEWER	R&R 8" to 10" SDR-35 Drain	12" PVC SDR-35 Drain Pipe	6" or 12" Chimney (4-10VF)	10" x 15" PVC TEES & WYES	6" X 15" PVC WYES & TEES	ABANDON LINE FLOW FILL	Core Hole in MH	Remove Top 3 VF Structure & Fill	Catch Basins	Adjust SMH or CB Frame and cover/grate	Replace 24" CB Frame & Grate	Replace 30" MH Frame and Cover	Test Pits	R&R 6VF Wooden Stockade Fence	R&R 5VF X 5' Dia Boxwood Bushes	R&R 6 Foot Ornamental Aluminum Fence	R&R 4" Thick Mulch Layer	R&R Topsoil
ITEM NUMBER	1e(i)	1f	1g	1h	1j	1k	2a	2b	2c	2d	2g	2h	2m	2p	2q	3a	3b	3c	3d	4a	4b	4c	4d	4e	4f
UNIT	L.F.	V.F.	V.F.	EA	EA	L.F.	L.F.	L.F.	L.F.	V.F.	EA	EA	CY	EA	EA	EA	EA	EA	EA	CY	LF	EA	LF	SY	SY
TEMPLE ST	970	55	15	3	1	125	290	255	0	50	6	13	10	1	4	10	1	1	1	40	0	0	0	0	0
CROSS COUNTRY FRANKLIN ST TO FLETCHER ST	306	20	0	1	0	24	125	12	0	0	1	12	0	0	0	1	0	0	0	0	180	30	60	30	30
CROSS COUNTRY FLETCHER ST TO AUBURN ST	259	25	0	1	0	130	40	0	13	19	0	4	8	0	1	2	0	0	0	30	0	0	0	0	0
ROUNDING	5	0	0	0	0	1	5	3	2	1	3	1	2	0	0	2	0	0	0	0	0	0	0	0	0
TOTAL QUANTITY FOR BIDDING	1,540	100	15	5	1	280	460	270	15	70	10	30	20	1	5	15	1	1	1	70	180	30	60	30	30

DESCRIPTION	R&R 30LF Fire Lane Access Gate	Remove 12" Trees (including stumps)	Remove and discard exist pavement	Calcium Chloride	Silt Sacks	Crushed Gravel	Binder Course Material Hot Bituminous	Top Course Material Hot Bituminous	Temporary Bituminous Pavement	Sawed Bituminous Pavement	Cold Plaining	R&R Granite Curbing	Install Vertical Granite Curbing	Install 6" Asphalt Curb	R&R 4" PC Concrete Sidewalk	R&R 2" Bit Conc Sidewalk	Hot Bituminous - Hand Method	Asbestot Pipe Removal (all diameters)	Raised Temp Double faced Pave Markers	4" Single Retro-Reflective yellow lines	4" Double Retro-reflective Yellow Lines	12" Retro-reflective Thermo Lines	Thermo-Plastic Symbols	Asphalt Cost Adjustment	Foundation Support: Franklin-Auburn
ITEM NUMBER	4g	4h	4i	5a	5b	6b	6c	6d	6e	6g	6h	6i	6j	6j(i)	6k	6l	6m	6q	8d	8f	8f(i)	8g	8h	9a	10
UNIT	LS	EA	SY	LB	EA	CY	TON	TON	TON	LF	SY	LF	LF	LF	SY	SY	TON	LF	EA	LF	LF	LF	SF	LS	LS
TEMPLE ST	0	0	0	3,500	9	1,400	720	470	320	6,400	5,500	160	10	0	20	30	30	50	150	350	800	750	30	0	0
CROSS COUNTRY FRANKLIN ST TO FLETCHER ST	1	2	420	1,000	2	215	65	40	0	134	0	200	20	180	19	0	0	0	0	0	0	0	0	0	0
CROSS COUNTRY FLETCHER ST TO AUBURN ST	0	1	0	0	4	100	84	60	10	280	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
ROUNDING	0	1	0	0	0	5	1	0	0	6	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTAL QUANTITY FOR BIDDING	1	4	420	4,500	15	1,720	870	570	330	6,820	5,500	360	30	180	40	30	30	50	150	350	800	750	30	1	1



CITY OF NASHUA NEW HAMPSHIRE  
 CITY ENGINEER'S OFFICE  
 9 RIVERSIDE STREET  
 NASHUA, NEW HAMPSHIRE 03062

NO.	REVISION DESCRIPTION	DATE



DRAWN BY:	DESIGNED BY:	REVIEWED BY:
T. WELCH	T. WELCH	J. MENDOLA



DATE  
 MARCH  
 2015

NASHUA, NEW HAMPSHIRE  
 PLAN OF  
 QUANTITIES

TAX MAP	PARCEL
PROPERTY LOCATION	
VARIES	
SHEET	
9	
OF 9	